Appendix A

Claim Amendments

1. (Currently amended) A compound of formula 1

$$R3$$
 $R4a$
 $R4b$
 $R5a$
 $R5b$
 $R6$
 $R7$
 $R1$
 $R1$
 $R1$
 $R1$
 $R1$
 $R1$
 $R2$
 $R1$
 $R1$
 $R2$
 $R3$
 $R4$
 $R4$
 $R4$
 $R5$
 $R5$
 $R5$
 $R5$
 $R7$
 $R1$

in which

R1 is hydrogen, 1-4C-alkyl or hydroxy-1-4C-alkyl,

- R2 is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl, halogen, 2-4C-alkenyl or 2-4C-alkynyl,
- R3 is hydrogen, halogen, trifluoromethyl, 1-4C-alkyl, 2-4C-alkenyl, 2-4C-alkynyl, carboxyl, -CO-1-4C-alkoxy, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, fluoro-1-4C-alkoxy-1-4C-alkyl or the radical -CO-NR3aR3b, one of the substitutents R4a and R4b is hydrogen and the other is hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-

- alkoxy, 1-4C-alkylcarbonyloxy or the radical R4', or in which R4a and R4b together are O (oxygen),
- where R4' is a radical from which a hydroxyl group is formed under physiological conditions,
- one of the substitutents R5a and R5b is hydrogen and the other is hydrogen, hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxy, 1-4C-alkylcarbonyloxy or the radical R5', or in which R5a and R5b together are O (oxygen),
- where R5' is a radical from which a hydroxyl group is formed under physiological conditions,
- where one of the substituents R4a and R4b must have the meaning R4' and/or one of the substituents R5a and R5b must have the meaning R5',
- R6 is hydrogen, halogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxycarbonylamino, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkoxycarbonylamino or trifluoromethyl,
- R7 is hydrogen, halogen, 1-4C-alkyl or 1-4C-alkoxy and X is O (oxygen) or NH,
- where R3a is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkoxy-1-4C-alkyl and
- R3b is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl, alkoxy-1-4C-alkyl,

or where R3a and R3b together, including the nitrogen atom
to which both are bonded, are a pyrrolidino,
piperidino or morpholino radical, or its salts

or a hydrate, solvate, salt, hydrate of a salt or solvate
of a salt thereof.

2. (Currently amended) A compound of the formula 1 as elaimed in claim 1,

in which

R1 is 1-4C-alkyl,

R2 is 1-4C-alkyl or hydroxy-1-4C-alkyl,

R3 is hydrogen, halogen, carboxyl, -CO-1-4C-alkoxy, hydroxy-1-4C-alkyl, 1-4C-alkoxy-1-4C-alkyl, fluoro-1-4C-alkoxy-1-4C-alkyl or the radical -CO-NR3aR3b,

- one of the substituents R4a and R4b is hydrogen and the other is hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxy or the radical -OR', or in which R4a and R4b together are O (oxygen),
- one of the substituents R5a and R5b is hydrogen and the other is hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxy or the radical -OR', or in which R5a and R5b together are O (oxygen),
- where one of the substituents R4a and R4b must have the meaning -OR' and/or one of the substituents R5a and R5b must have the meaning -OR',
- R6 is hydrogen, halogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxycarbonylamino, 1-4C-alkoxy-1-4C-alkoxy-1-4C-alkoxycarbonylami- no or trifluoromethyl,
- R7 is hydrogen, halogen, 1-4C-alkyl or 1-4C-alkoxy and X is O (oxygen) or NH,

where

- R3a is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl alkoxy-1-4C-alkyl and
- R3b is hydrogen, 1-7C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl, or where
- R3a and R3b together, including the nitrogen atom to which both are bonded, are a pyrrolidino, piperidino or morpholino radical,

and where

R' is selected from the group consisting of

- -C(O)-NR8R9,
- -C(0) -alk-NR8R9,
- -C(O) -alk-C(O) -NR8R9,
- $-P(O)(OH)_2$,
- $-S(0)_2NR8R9$,
- -C(0)-R8,
- $-C(0)-C_6H_3R10R11$,
- -C(O)-OR8,
- -C(0)-alk-C(0)-R8,
- -C(0) -alk-C(0) -OR8,
- -C(O)-C(O)-R8,
- -C(0)-C(0)-OR8 and
- -CH₂-OR8,

where

alk is 1-7C-alkylene,

R8 is hydrogen, 1-10C-alkyl or 1-4C-alkyl substituted by halogen, carboxyl, hydroxyl, sulfo $(-SO_3H)$, sulfamoyl $(-SO_2NH_2)$, carbamoyl $(-CONH_2)$, 1-4C-alkoxy or 1-4C-alkoxycarbonyl,

R9 is hydrogen or 1-4C-alkyl,

R10 is hydrogen, halogen, nitro, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, 1-4C-alkoxycarbonylamino, 1-4C-

alkoxy-1-4C-alkoxycarbonylamino or trifluoromethyl $\frac{\text{und}}{\text{und}}$ and

R11 is hydrogen, halogen, 1-4C-alkyl or 1-4C-alkoxy, [[.]]

or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.

3. (Currently amended) A compound as claimed in claim \pm 2, having the formula 1*

in which

R1 is 1-4C-alkyl,

R2 is 1-4C-alkyl,

- R3 is hydrogen, chlorine, fluorine, hydroxymethyl, difluoromethoxymethyl or the radical -CO-NR3aR3b,
- one of the substituents R4a and R4b is hydrogen and the other is hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxy or the radical -OR', or in which R4a and R4b together are O (oxygen),
- one of the substituents R5a and R5b is hydrogen and the other is hydroxyl, 1-4C-alkoxy, 1-4C-alkoxy-1-4C-alkoxy or the radical -OR', or in which R5a and R5b together are O (oxygen),
- where one of the substituents R4a and R4b must have the meaning -OR' and/or one of the substituents R5a and R5b must have the meaning -OR',

R6 is hydrogen,

R7 is hydrogen and

X is O (oxygen) or NH,

where

- R3a is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl alkoxy-1-4C-alkyl and
- R3b is hydrogen, 1-4C-alkyl, hydroxy-1-4C-alkyl or 1-4C-alkyl, alkoxy-1-4C-alkyl,

and where

R' is selected from the group consisting of -C(0)-NR8R9,

```
-C(0) -alk-NR8R9,
```

$$-C(0)$$
 -alk- $C(0)$ -NR8R9,

- $-P(0)(OH)_{2}$
- $-S(0)_2NR8R9$,
- -C(0)-R8,
- $-C(0)-C_6H_3R10R11$,
- -C(0)-OR8,
- -C(0)-alk-C(0)-OR8,
- -C(O)-C(O)-OR8 and
- -CH₂-OR8,

where

alk is 1-7C-alkylene,

- R8 is hydrogen, 1-10C-alkyl or 1-4C-alkyl substituted by carboxyl or sulfo $(-SO_3H)$,
- R9 is hydrogen or 1-4C-alkyl,
- R10 is hydrogen, halogen, nitro, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl, 1-4C-alkoxycarbonylamino, 1-4C-alkoxycarbonylamino or trifluoromethyl and
- R11 is hydrogen, halogen, 1-4C-alkyl or 1-4C-alkoxy, or its salts of the compounds
- or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.

4. (Currently amended) A compound as claimed in claim \pm 2, which has the formula 1* in claim 3,

in which

R1 is methyl,

R2 is methyl,

R3 is hydrogen, chlorine, fluorine, hydroxymethyl, difluoromethoxymethyl or the radical -CO-NR3aR3b,

one of the substituents R4a and R4b is hydrogen and the other is 1-4C-alkoxy or 1-4C-alkoxy-1-4C-alkoxy,

one of the substituents R5a and R5b is hydrogen and the other is the radical -OR',

R6 is hydrogen,

R7 is hydrogen and

X is O (oxygen) or NH,

where

R3a is hydrogen, methyl, ethyl, propyl, 2-hydroxyethyl or 2-methoxyethyl and

R3b is hydrogen, methyl or ethyl,

and where

R' is selected from the group consisting of

-C(0)-NR8R9,

-C(0) -alk-NR8R9,

-C(0) -alk-C(0) -NR8R9,

 $-P(O)(OH)_{2}$

```
-S(O)<sub>2</sub>NR8R9,
```

-C(0)-R8,

 $-C(0)-C_6H_3R10R11$,

-C(0) - OR8,

-C(0)-alk-C(0)-OR8,

-C(0)-C(0)-OR8 and

-CH₂-OR8,

where

alk is 1-7C-alkylene,

R8 is hydrogen, 1-10C-alkyl or 1-4C-alkyl substituted by carboxyl or sulfo $(-SO_3H)$,

R9 is hydrogen or 1-4C-alkyl,

R10 is hydrogen, halogen, nitro, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl or trifluoromethyl and

R11 is hydrogen or halogen,

or the salts of the compound

or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.

5. (Original) A compound as claimed in claim 4, in which R' has the meaning $-C(O)-N(CH_3)_2$, $-C(O)-N(C_2H_5)_2$, $-C(O)-NHC_2H_5$, $-C(O)-CH_2CH_2NH_2$, $-C(O)-(CH_2)_3NH_2$, $-C(O)-(CH_3)_2NH_2$, $-C(O)-CH_2N(CH_3)_2$, $-C(O)-CH(NH_2)-CH(CH_3)_2$

P(O) (OH)₂, $-S(O)_2NH_2$, $-C(O)_2H_1$, $-C(O)_3H_2$, $-C(O)_3H_2$, $-C(O)_3H_3$, $-C(O)_3H_2$, $-C(O)_3H_3$, $-C(O)_3H_4$, $-C(O)_3H_5$, $-C(O)_3H_4$, $-C(O)_3H_5$, $-C(O)_3H_4$,

6. (Currently amended) A compound as claimed in claim 1 2, which has the formula 1* in claim 3,

in which

R1 is methyl,

R2 is methyl,

R3 is hydrogen, chlorine, fluorine, hydroxymethyl, difluoromethoxymethyl or the radical -CO-NR3aR3b,

one of the substituents R4a and R4b is hydrogen and the other is 1-4C-alkoxy or 1-4C-alkoxy-1-4C-alkoxy,

R5a is the radical -OR',

R5b is hydrogen,

R6 is hydrogen,

R7 is hydrogen and

X is O (oxygen) or NH,

where

R3a is hydrogen, methyl, ethyl, propyl, 2-hydroxyethyl or 2-methoxyethyl and

R3b is hydrogen, methyl or ethyl,

and where

R' is selected from the group consisting of

- -C(O)-NR8R9,
- -C(0) -alk-NR8R9,
- -C(0)-R8,
- $-C(0)-C_6H_3R10R11$,
- -C(0)-OR8,
- -C(0) -alk-C(0) -OR8, and
- -C(O)-C(O)-OR8,

where

alk is 1-4C-alkylene,

R8 is hydrogen, 1-10C-alkyl or 1-4C-alkyl substituted by 1-4C-alkoxy,

R9 is hydrogen or 1-4C-alkyl,

R10 is hydrogen, halogen, nitro, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkoxycarbonyl or trifluoromethyl and

R11 is hydrogen or halogen,

or its salts

or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.

7. (Currently amended) A compound as claimed in claim \pm 2, which has the formula 1* in claim 3, in which R1 is methyl, R2 is methyl, R3 is hydrogen, one of the substituents R4a and R4b is hydrogen and the other is 1-4C-alkoxy or 1-4C-alkoxy-1-4C-alkoxy, R5a is the radical -OR', R5b is hydrogen, R6 is hydrogen, R7 is hydrogen and X is O (oxygen) or NH, where R' is selected from the group consisting of -C(O)-NR8R9, -C(0) -alk-NR8R9, -C(O)-R8, $-C(0)-C_6H_3R10R11$, -C(0) - OR8, -C(0) -alk-C(0) -OR8, and -C(0)-C(0)-OR8,where alk is 1-4C-alkylene,

R8 is hydrogen, 1-10C-alkyl or 1-4C-alkyl substituted by 1-4C-alkoxy,

R9 is hydrogen or 1-4C-alkyl,

R10 is hydrogen, nitro, 1-4C-alkoxy or 1-4C-alkoxycarbonyl and

R11 is hydrogen,

or its salts

or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.

- 8. (Original) A compound as claimed in claim 7, in which R' has the meaning $-C(O)-N(CH_3)_2$, $-C(O)-N(C_2H_5)_2$, $-C(O)-NHC_2H_5$, $-C(O)-CH_2N(CH_3)_2$, -C(O)-H, $-C(O)-CH_3$, $-C(O)-C_2H_5$, $-C(O)-CH_2OCH_3$, $-C(O)-C_6H_5$, $-C(O)-C_6H_4-4-NO_2$, $-C(O)-C_6H_4-3-NO_2$, $-C(O)-C_6H_4-4-OCH_3-$, $-C(O)-C_6H_4-4-C(O)-OCH_3$, $-C(O)-OCH_3$,
- 9. (Currently amended) A medicament pharmaceutical composition comprising a compound as claimed in claim 1 and/or a pharmacelogically tolerable pharmaceutically acceptable hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof together with customary

pharmaceutical auxiliaries and/or excipients a pharmaceutically acceptable auxiliary or excipient.

- treating a gastrointestinal disease in a patient comprising administering to a patient in need thereof a therapeutically effective amount of The use of compounds a compound as claimed in claim 1 and their pharmacologically tolerable salts for the prevention and treatment of gastrointestinal diseases or a pharmaceutically acceptable hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.
- 11. (New) A compound which is selected from the group consisting of:

(7S, 8R, 9R) -8-Acetoxy-7-(2-methoxyethoxy)-2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
naphthyridine;

(7R,8R,9R)-8-Acetoxy-7-(2-methoxyethoxy)-2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2h][1,7]
naphthyridine;

(7R, 8R, 9R) -8-Acetoxy-7-methoxy-2, 3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

```
(7R, 8R, 9R) - 8 - Acetoxy - 7 - ethoxy - 2, 3 - dimethyl - 9 - phenyl -
 7,8,9,10-tetrahydroimidazo-[1,2-h][1,7]naphthyridine;
                 (7R, 8R, 9R) - 7 - (2 - Methoxyethoxy) - 2, 3 - dimethyl - 9 - phenyl -
 8-propionyloxy-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
 naphthyridine;
                 (7R, 8R, 9R) - 8 - Benzoyloxy - 7 - (2 - methoxyethoxy) - 2, 3 -
 dimethyl-9-phenyl-7, 8, 9, 10-tetrahydroimidazo[1, 2-h][1, 7]
 naphthyridine;
                 (7S, 8R, 9R) - 8 - Benzoyloxy - 7 - (2 - methoxyethoxy) - 2, 3 -
 dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
 naphthyridine;
                (7R, 8R, 9R) -8-Methoxycarbonyloxy-7-(2-methoxyethoxy) -
 2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
                (7S, 8R, 9R) -8-Methoxycarbonyloxy-7-(2-methoxyethoxy) -
2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
                (7R, 8R, 9R) - 8 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 -
phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;
                (7S, 8R, 9R) - 8 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 2, 3 - dimethyl - 9 - Benzoyloxy - 7 - methoxy - 9 - Benzoyloxy - 
phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;
                (7R, 8R, 9R) - 7 - (2-Methoxyethoxy) - 2, 3-dimethyl - 8 - (4 - 9)
nitrobenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
```

(7S,8R,9R)-7-(2-Methoxyethoxy)-2,3-dimethyl-8-(4-nitrobenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

(7S,8R,9R)-7-(2-Methoxyethoxy)-2,3-dimethyl-8-(3-nitrobenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

(7R, 8R, 9R) -7-(2-Methoxyethoxy) -2, 3-dimethyl-8-(3-nitrobenzoyloxy) -9-phenyl-7, 8, 9, 10-tetrahydroimidazo[1, 2-h][1,7]naphthyridine;

(7S,8R,9R)-7-Methoxy-2,3-dimethyl-8-(3nitrobenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2h][1,7]naphthyridine;

(7R,8R,9R)-7-Methoxy-2,3-dimethyl-8-(3-nitrobenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

(7S,8R,9R)-7-(2-Methoxyethoxy)-2,3-dimethyl-8-(4-methoxybenzoyloxy)-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

(7R, 8R, 9R) -7-(2-Methoxyethoxy) -2, 3-dimethyl-8-(4-methoxybenzoyloxy) -9-phenyl-7, 8, 9, 10-tetrahydroimidazo[1, 2-h][1,7]naphthyridine;

(7S, 8R, 9R) - 7 - (2-Methoxyethoxy) - 2, 3-dimethyl-8 - (N, N-dimethylaminomethylcarbonyloxy) - 9-phenyl-7, 8, 9, 10-tetrahydroimidazo[1, 2-h][1, 7]naphthyridine;

(7S, 8R, 9R) - 7 - (2 - Methoxyethoxy) - 8 - (N, N - N)diethylaminocarbonyloxy) -2,3-dimethyl-9-phenyl-7,8,9,10tetrahydroimidazo[1,2-h][1,7]naphthyridine; (7R, 8R, 9R) - 7 - (2 - Methoxyethoxy) - 8 - (N, N diethylaminocarbonyloxy)-2,3-dimethyl-9-phenyl-7,8,9,10tetrahydroimidazo[1,2-h][1,7]naphthyridine; (7R, 8R, 9R) -8-Ethylaminocarbonyloxy-7-(2-methoxyethoxy) -2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2h][1,7]naphthyridine; (7S, 8R, 9R) -8-Ethylaminocarbonyloxy-7-(2-methoxyethoxy) -2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2h][1,7]naphthyridine; (7R, 8R, 9R) - 8 - [(+) - Menthyloxycarbonyloxy] - 7 - (2 - methoxyethoxy) -2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo [1,2-h][1,7] naphthyridine; (7S, 8R, 9R) - 8 - [(+) - Menthyloxycarbonyloxy] - 7 - (2 - Particle of the control of the conmethoxyethoxy) -2, 3-dimethyl-9-phenyl-7, 8, 9, 10tetrahydroimidazo[1,2-h][1,7]naphthyridine; (7R, 8R, 9R) -7-(2-Methoxyethoxy) -8-(0-methylsuccinoyloxy) -2, 3-dimethyl-9-phenyl-7, 8, 9, 10-tetrahydroimidazo[1, 2h][1,7]naphthyridine; (7S, 8R, 9R) -7-(2-Methoxyethoxy) -8-(0-methylsuccinoyloxy)-2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2h][1,7]naphthyridine;

```
(7R, 8R, 9R) - 7 - (2-Methoxyethoxy) - 8 - (0-methylmalonyloxy) -
 2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
 h][1,7]naphthyridine;
                  (7S, 8R, 9R) - 7 - (2 - Methoxyethoxy) - 8 - (0 - methylmalonyloxy) -
 2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
 h][1,7]naphthyridine;
                  (7R, 8R, 9R) - 7 - (2-Methoxyethoxy) - 8 - (0-ethyloxaloyloxy) -
 2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
                 (7S, 8R, 9R) - 8 - (0 - Ethyloxaloyloxy) - 7 - (2 - methoxyethoxy) -
 2,3-dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
                 (7R, 8R, 9R) -8-Formyloxy-(2-methoxyethoxy) -2, 3-dimethyl-
 9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
naphthyridine;
                 (7S, 8R, 9R) -8-Formyloxy-(2-methoxyethoxy)-2,3-dimethyl-
9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
naphthyridine;
                 (7R, 8R, 9R) - 8 - Benzoyloxy - 2, 3 - dimethyl - 7 - (2 - Part of the second of the
methoxyethoxy)-9-phenyl-7H-8,9-dihydropyrano[2,3-
c]imidazo[1,2-a]pyridine;
                (7S, 8R, 9R) - 8 - Benzoyloxy - 2, 3 - dimethyl - 7 - (2 - methoxy - 1)
ethoxy) 9-phenyl-7H-8, 9-dihydropyrano[2, 3-c]imidazo[1,2-
a]pyridine;
```

```
(7R, 8R, 9R) - 8 - [4 - (Methoxycarbonyl) - benzoyloxy] - 2, 3 -
dimethyl-7-(2-methoxyethoxy)-9-phenyl-7H-8,9-
dihydropyrano[2,3-c]imidazo[1,2-a]pyridine;
      (7S, 8R, 9R) - 8 - [4 - (Methoxycarbonyl) - benzoyloxy] - 2, 3 -
dimethyl-7-(2-methoxyethoxy)-9-phenyl-7H-8,9-
dihydropyrano[2,3-c]imidazo[1,2-a]pyridine;
      (7S, 8R, 9R) - 2, 3 - Dimethyl - 7 - methoxy - 8 - methoxyacetyloxy -
9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
      (7R, 8R, 9R) - 8 - (N, N-Diethylaminocarbonyloxy) - 2, 3 -
dimethyl-7-methoxy-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
     (7S, 8R, 9R) - 8 - (N, N-Diethylaminocarbonyloxy) - 2, 3 -
dimethyl-7-methoxy-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-
h][1,7]naphthyridine;
     (7R, 8R, 9R) -7-Methoxy-8-methoxycarbonyloxy-2, 3-
dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
naphthyridine;
     (7S, 8R, 9R) - 7 - Methoxy-8 - methoxycarbonyloxy-2.3 -
dimethyl-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]
naphthyridine;
     (7R, 8R, 9R) - 2, 3-Dimethyl-8-formyloxy-7-methoxy-9-
phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;
```

(7S,8R,9R)-2,3-Dimethyl-8-formyloxy-7-methoxy-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine;

(7R,8R,9R)-8-Benzoyloxy-2,3-dimethyl-7-methoxy-9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine; and hydrates, solvates, salts, hydrates of the salts and solvates of the salts thereof.

- 12. (New) A compound which is (7R, 8R, 9R) 7 (2 12 12) Methoxyethoxy) -2,3-dimethyl-8-(N,N-dimethylaminomethyl-carbonyloxy) -9-phenyl-7,8,9,10-tetrahydroimidazo[1,2-h][1,7]naphthyridine, or a hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof.
- 13. (New) A pharmaceutical composition comprising a compound as claimed in claim 2 and/or a pharmaceutically acceptable hydrate, solvate, salt, hydrate of a salt or solvate of a salt thereof together with a pharmaceutically acceptable auxiliary or excipient.
- 14. (New) A method of preventing or treating gastrointestinal disease in a patient comprising administering to patient а in need thereof therapeutically effective amount of a compound as claimed in claim 2 or a pharmaceutically acceptable hydrate,

solvate, salt, hydrate of a salt or solvate of a salt thereof.